according to UK REACH Regulation

	Concentrate Glass	& Surface	
Revision date: 17.02.2025	Product code	: 014	Page 1 of 10
SECTION 1: Identification of th	e substance/mixture and of the	company/undertaking	
<u>1.1. Product identifier</u> Concentrate Glass & Surfac	e		
UFI:	M3X1-F0WW-M00T-VKE1		
1.2. Relevant identified uses of th	e substance or mixture and uses ac	lvised against	
Use of the substance/mixture			
Diluted for cleaning smooth	surfaces such as tiles, tiles, mirror su	rfaces and windows.	
Uses advised against			
Not known.			
1.3. Details of the supplier of the	safety data sheet		
Company name:	Sodasan GmbH		
Street:	Rudolf-Diesel-Str. 19		
Place:	D-26670 Uplengen		
Telephone:	0495640720	Telefax: 04956407299	
E-mail:	info@sodasan.com		
Contact person:	Frau Grätz	Telephone:04956407234	
E-mail:	mg@sodasan.com		
Internet:	www.sodasan.de		
Responsible Department:	QS		
<u>1.4. Emergency telephone</u> number:	Giftinformationszentrum-Nord ((24h)	Universitätsmedizin Göttingen): 0551 19240	
SECTION 2: Hazards identifica	tion		

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 2; H225 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

D-Glucopyranose, Oligomere, Decyloctylglycoside

Danger

Signal word:

Pictograms:



Hazard statements

Indear a otatonnonta	
H225	Highly flammable liquid and vapour.
H318	Causes serious eye damage.
Precautionary stat	ements
P501	Dispose of contents/container to waste disposal in accordance with local/regional regulation.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources

P233

according to UK REACH Regulation

Concentrate Glass & Surface						
Revision date: 17.02.2025	Product code: 014	Page 2 of 10				
P102	Keep out of reach of children.					
P302+P350	IF ON SKIN: Gently wash with plenty of soap and water.					
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.					
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.					
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
2.3. Other hazards						

Not known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation))			
64-17-5	ethanol; ethyl alcohol			75 - < 80 %	
	200-578-6	603-002-00-5	01-2119457610-43		
	Flam. Liq. 2, Skin Irrit. 2, Eye Irrit. 2	2; H225 H315 H319			
77-92-9	Citric acid			5 - < 10 %	
	201-069-1				
	Eye Irrit. 2, STOT SE 3; H319 H33	5			
68515-73-1	D-Glucopyranose, Oligomere, Dec	yloctylglycoside		1 - < 5 %	
	500-220-1		01-2119488530-36		
	Eye Dam. 1; H318				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits. M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Limits, M-factors and ATE			
64-17-5	200-578-6	ethanol; ethyl alcohol	75 - < 80 %		
	inhalation: LC	50 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg			
77-92-9	201-069-1	Citric acid	5 - < 10 %		
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 5400 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Immediately remove any contaminated clothing, shoes or stockings. After contact with skin, wash immediately with plenty of water and soap. Do not wash with: Solvents/Thinner.

according to UK REACH Regulation

Concentrate Glass & Surface

Revision date: 17.02.2025

Product code: 014

Page 3 of 10

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

Put victim at rest, cover with a blanket and keep warm.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Not known.

4.3. Indication of any immediate medical attention and special treatment needed

Not known.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder, Water mist

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Not known.

5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking. Ventilate affected area. Avoid breathing dust/fume/gas/mist/vapours/spray. Safe handling: see section 7 Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Other information

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Disposal: see section 13 Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections

Observe protective measures under sections 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists. When using do not eat,

according to UK REACH Regulation

Concentrate Glass & Surface

Revision date: 17.02.2025

Product code: 014

Page 4 of 10

drink, smoke, sniff. Personal protection equipment: see section 8

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

Advice on protection against fire and explosion

No special actions required. Follow normal chemical handling precautions.

Advice on general occupational hygiene

General hygiene measures. Do not eat, drink or smoke in work areas Wash hands after use Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in accordance with: Betriebssicherheitsverordnung (BetrSichV).

Hints on joint storage

Do not store together with: Oxidizing agent, Strong acid, Strong alkali

Further information on storage conditions

Follow the instructions for use on the label.

storage temperature of 15°C -30°C.

Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product.

7.3. Specific end use(s)

Diluted for cleaning smooth surfaces such as tiles, tiles, mirror surfaces and windows.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

PNEC values

CAS No	Substance		
Environmental compartment Value			
77-92-9	Citric acid		
Freshwater		0,44 mg/l	
Marine water 0,044		0,044 mg/l	
Freshwater sediment 34,6 mg/kg		34,6 mg/kg	
Marine sediment 3,4		3,46 mg/kg	
Micro-organisms in sewage treatment plants (STP) 1000 mg/l		1000 mg/l	
Soil 33,1 mg/		33,1 mg/kg	

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

according to UK REACH Regulation

Concentrate Glass & Surface

Revision date: 17.02.2025

Product code: 014

Page 5 of 10

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear protective gloves. Replace when worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the wear time limits as specified by the manufacturer.

Skin protection

Overall (Natural fibres (e.g. cotton))

Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values. Use suitable breathing apparatus.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	colourless		
Odour:	like alcohol		
			Test method
Boiling point or initial boiling point and boiling range:		78,3 °C	
Flash point:		22,5 °C	DIN 53213
pH-Value (at 20 °C):		3,1 - 3,7	
Density (at 20 °C):		0,80 - 0,85 g/cm³	DIN 53217
9.2. Other information			
Other safety characteristics			
Solvent separation test:		<3 % (Land transport (ADR/RID))	
Flow time: (at 20 °C)		8 - 12	
Eurther Information			

Further Information

Further physical-chemical data were not determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

Keine Reaktionen bei sachgemäßer Handhabung.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No reactions when handled properly.

10.4. Conditions to avoid

Protect from direct sunlight and heat. Keep ignition sources away. Do not smoke.

10.5. Incompatible materials

Not known.

10.6. Hazardous decomposition products

When used and stored as intended, no hazardous decomposition products are formed.

according to UK REACH Regulation

Concentrate Glass & Surface

Revision date: 17.02.2025

Product code: 014

Page 6 of 10

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
64-17-5	ethanol; ethyl alcohol								
	oral	LD50 mg/kg	6200	Rat	IUCLID				
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS				
77-92-9	Citric acid								
	oral	LD50 mg/kg	5400	Mouse	Study report (1981)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2006)	OECD Guideline 402			

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye damage. Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The product does not contain any substance that has endocrine properties in humans.

Further information

There are no data available on the mixture itself. Classification according to Regulation (EC) No 1272/2008 [CLP] Reference to other sections: 2, 3

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

according to UK REACH Regulation

Concentrate Glass & Surface

Revision date: 17.02.2025

Product code: 014

Page 7 of 10

CAS No	Chemical name	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
64-17-5	ethanol; ethyl alcohol							
	Acute crustacea toxicity	EC50 14221 mg/l	9268 -	48 h	Daphnia magna	IUCLID		
77-92-9	Citric acid							
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Pimephales promelas	Photogr. Sci. Eng. 16(5):370-377 (1972)		
	Acute crustacea toxicity	EC50 mg/l	> 50		other aquatic crustacea: Dreissena polymorpha	Environ.Toxicol.Ch em. 16(9): 1930-1934 (other: ASTM	
	Algae toxicity	NOEC	425 mg/l		Scenedesmus quadricauda	Water Research 14: 231-241 (1980)	other: Bringmann and Kuhn	

12.2. Persistence and degradability

The surfactants contained in this preparation meet the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 for detergents.

12.3. Bioaccumulative potential

No bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31
77-92-9	Citric acid	-1,55
BCF		

CAS No	Chemical name	BCF	Species	Source
77-92-9	Citric acid	3,2		ln: (2009)

12.4. Mobility in soil

No relevant data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

There are no data available on the mixture itself. Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Recycle according to official regulations.

Contaminated packaging

Completely emptied packages can be recycled. Recycle according to official regulations.

according to UK REACH Regulation

	according to UK REACH Regulation	
Revision date: 17.02.2025	Concentrate Glass & Surface Product code: 014	Page 8 of 10
Revision date. 17.02.2023	Floduct code. 014	Fage 0 01 10
SECTION 14: Transport information		
Land transport (ADR/RID) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 3 II 3	
Classification code: Special Provisions: Limited quantity: Excepted quantity: Transport category: Hazard No: Tunnel restriction code:	F1 144 601 1 L E2 2 33 D/E	
Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 3 II 3	
Classification code: Special Provisions: Limited quantity: Excepted quantity:	F1 144 601 1 L E2	
Marine transport (IMDG) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 3 II 3	
Special Provisions: Limited quantity: Excepted quantity: EmS:	144 1 L E2 F-E, S-D	
Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 1170 ETHANOL SOLUTION 3 II 3	

according to UK REACH Regulation

	Concentrate Glass & Surface	
Revision date: 17.02.2025	Product code: 014	Page 9 of 10
Special Provisions:	A3 A58 A180	
Limited quantity Passenger:	1L	
Passenger LQ:	Y341	
Excepted quantity: IATA-packing instructions - Passenge	E2 er: 353	
IATA-packing instructions - Lassenge IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	364	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS	: No	
14.6. Special precautions for user Siehe Abschnitte 6-8 Achtung: brennbare Flüssigkeit 14.7. Maritime transport in bulk accord not applicable	ling to IMO instruments	
SECTION 15: Regulatory information	on	
EU regulatory information Restrictions on use (REACH, annex Entry 3, Entry 40, Entry 75 Directive 2004/42/EC on VOC in paints and varnishes: National regulatory information Water hazard class (D): Additional information Observe in addition any national	75 % (600 g/l) 1 - slightly hazardous to water	
SECTION 16: Other information		
Abbreviations and acronyms Flam. Liq: Flammable liquids Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation STOT SE: Specific target organ t	oxicity - single exposure	
Key literature references and source		
Regulations: Preparations Direct Substances Directive (67/548/EE 1907/2006, last amended by Reg	ve (1999/45/EG), last amended by Regulation (EG) No. 1907/2006 iC), last amended by Directive 2009/2/EC REACH Regulation (EC) No. julation (EU) No. 253/2011 CLP regulation 1272/2008 Internet beitssicherheit.de http://gestis.itrust.de	
	evaluation method according to GB CLP Regulation	
	assification procedure	
	basis of test data	
Flam. Liq. 2; H225 Or	ו הסוף הו ובא תמומ	

Relevant H and EUH statements (number and full text)

Calculation method

Eye Dam. 1; H318

according to UK REACH Regulation

Revision date: 17.02.2025	Product code: 014 Page 10
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Instruction/training of employees required for handling hazardous substances.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)